


1 / 8

FIG. 1



Applicant: Keizo Takechi, et al.

Title: Driver Circuit Integrated with Load Current Output Pin..., Pin...


Atty Docket No. 16869N-039000

Sheet 2 of 8

2 / 8


FIG. 2

10032761 - 12270




3 / 8

FIG. 3A



400327-132620

FIG. 3B



4 / 8

FIG. 4A





FIG. 4B




5 / 8

FIG. 5

ITEMS	INTEGRAL-TYPE DRIVER	CONVENTIONAL DRIVER	
		DYNAMIC	LOAD
ELECTRICITY CONSUMPTION	4.5W	3.6W 7.1W	3.5W
CHIP AREA [mm ²]	4.0×4.0 =16.0	3.7×3.7 =22.69	3.0×3.0
MOUNTING AREA [mm ²]	460		690

16869N-039000

FIG. 6




6 / 8

FIG. 7


ITEMS	CIRCUIT SYSTEM OF FIG. 2	CIRCUIT SYSTEM OF FIG. 3
ELECTRICITY CONSUMPTION	700mW	1500mW
CHIP AREA [mm ²]	0.7 (CONVENTIONALLY 1.0)	0.7 (CONVENTIONALLY 1.0)
RISING TIME (1.6V)	200ps	300ps

1003274-222001

FIG. 8




**FIG. 9
PRIOR ART**




4,000,322,763 - 4,222,704

**FIG. 10
PRIOR ART**



**FIG. 11
PRIOR ART**



10032761 122704